





# HVAC & LP GAS DISTRIBUTION CATALOG





Enerco Group, Inc., based in Cleveland Ohio, has been at the forefront of infrared and combustion technology since 1957. Market leading engineering and experience has enabled EGI to build expertise in the consumer heating, heavy duty industrial, construction, custom process heating and now, agricultural and greenhouse heating markets. Over six decades, EGI has developed brands and product lines tailored to the needs of these market segments.

Since 1984, EGI has established several brands generating rapid growth via retail distribution. The Mr. Heater® brand is America's most popular heater brand in the consumer market. It includes an array of products geared to the specialized needs of the outdoor enthusiasts.

Heatstar® by Enerco and Enerco® are leading brands in the construction, equipment rental, and industrial arenas. These heaters are engineered with rugged designs geared to meet the durability and toughness demands of construction and industrial work sites. The Heatstar® brand is sold exclusively through professional tool, industrial, rental, HVAC and LP gas distributors. The Enerco® brand applies to a complete line of hoses, fittings, and accessories marketed through industrial, professional HVAC, LP Gas, and Recreational Vehicle distributors.

In 2013, Stanley Black and Decker selected Enerco Group, Inc. to be the North American licensee to make and market DEWALT® Portable Heaters. The DEWALT® license arrangement was expanded to include Europe in 2017. In 2015, the Heatstar AG® brand was launched with a group of products custom built for agriculture and greenhouse applications.

Through product innovation, world class quality, outstanding marketing, and world class customer service, EGI has earned North American market leading positions in each of the markets we serve.





**Page 5**



**Page 10**



**Page 12**



**Page 14**

Description	Page
Vent Free Heaters	4-5
Radiant Tube Heaters	6-8
High Intensity Infrared Heaters	9
Restaurant/Patio Heaters	10
Garage/Workshop/Cabinet Heaters	11
Gas Unit Heaters	12-13
NOMAD™ Box Heaters	14
Pro Series Indirect/Direct-Fired Heaters	15
Cleveland Iron Works® Pellet Stoves	16
Cleveland Iron Works® Wood Stoves, Camp Stoves, Ash Vacuums, and Firebricks	17
Portable Propane Buddy Heaters	18
Electric Heaters	19
DEWALT® Job-Site Heaters	20
Portable Construction Heaters	21
Portable Propane Tank Top Heaters	22
Golf Cart Heater	22
Hand & Foot Warming Products	23
Portable Propane Stoves and Torches	23
Bulk Hoses, Fittings & Regulators	25-27

**Icon guide**



Easy repairs  
Tech service:  
1-866-447-2194



Heavy-duty



Indoor safe



Easy-grip handle



CSA Certified



ETL Certified

Intertek

# VENT FREE INFRARED HEATERS



## BEST FOR: DRAFTY AREAS

Radiant heat works by warming people and objects instead of the air, which in turn warms the space, much like the sun warming your face on a cold day.

Model #	Description
F156001	HSSVFRD10LPT - (Propane) - 10,000 BTU/Hr.
F155226	HSVFR10NG - (Natural Gas) - 10,000 BTU/Hr.
F155229	HSVFR10LP (Propane) - 10,000BTU/Hr.
F156041	HSSVFRD20NGBT- (Natural Gas) - 20,000 BTU/Hr.
F156051	HSSVFRD20LPBT - (Propane) - 20,000 BTU/Hr.
F156081	HSSVFRD30NGBT - (Natural Gas) - 30,000 BTU/Hr.
F156091	HSSVFRD30LPBT - (Propane) - 30,000 BTU/Hr.

## FEATURES

- Blower fan included (20 & 30,000 models only)
  - Effectively circulates heat
- Wall mount bracket & floor mount feet included
  - Easy to install
- Thermostat included - As noted in chart below
- Safe - Built-in low oxygen shut-off sensor
- Economical - 99.9% Efficient
- 5-Year limited warranty

Model# Stock#	F156001 HSSVFRD10LPT	F155226 HSVFR10NG	F155229 HSVFR10LP	F156041 HSSVFRD20NGBT	F156051 HSSVFRD20LPBT	F156081 HSSVFRD30NGBT	F156091 HSSVFRD30LPBT
BTU Rating	10,000	10,000	10,000	20,000	18,000	30,000	30,000
Burn Rate	0.463 lbs/hr	0.001 MCF	0.463 lbs/hr	0.020 MCF	0.926 lbs/hr	0.030 MCF	1.389 lbs/hr
Variable Output	NO	YES	YES	NO	NO	NO	NO
Heats Up To: (Approx. Sq. Ft.)	300	300	300	700	700	1,000	1,000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas	Propane
Minimum Recommended Tank Size	20 lb.	NA	20 lb.	NA	20 lb.	NA	20 lb.
Certified	YES	YES	YES	YES	YES	YES	YES
Low Oxygen Safety Shut-Off	YES	YES	YES	YES	YES	YES	YES
Feet & Hardware Included	YES	YES	YES	YES	YES	YES	YES
Ignition	Electronic	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Integrated Blower Fan	NO	NO	NO	YES	YES	YES	YES
Thermostat	YES	NO	NO	YES	YES	YES	YES

\* 4500 ft high altitude restriction (see manual for use above 4,500 feet)

\* Not Approved for use in California or Canada.

This heater obtained the indicated BTU ratings when tested per ANSI Z21.11.2-2002, addenda Z21.11.2a-2003 "Gas Fired Room Heaters," Volume II, "Unvented Room Heaters." Always check local codes for permitted uses.

# VENT FREE BLUE FLAME HEATERS



## BEST FOR: INSULATED AREAS

Convection heat works by dispersing heated air, which then warms the space from the top down, much like a fireplace. Blue Flame warms the air and can be put in narrow areas.

Model #	Description
F156011	HSSVFBF10LPT - (Propane) - 10,000 BTU/Hr.
F155550	HSVFB10NG - (Natural Gas) - 10,000 BTU/Hr.
F155583	HSVFB10LP (Propane) - 10,000 BTU/Hr.
F156021	HSSVFBF20NGBT- (Natural Gas) - 20,000 BTU/Hr.
F156031	HSSVFBF20LPBT - (Propane) - 20,000 BTU/Hr.
F156061	HSSVFBF30NGBT - (Natural Gas) - 30,000 BTU/Hr.
F156071	HSSVFBF30LPBT - (Propane) - 30,000 BTU/Hr.

## FEATURES

- Blower fan included (20 & 30,000 models only)
  - Effectively circulates heat
- Wall mount bracket & floor mount feet included
  - Easy to install
- Thermostat included - As noted in chart below
- Safe - Built-in low oxygen shut-off sensor
- Economical - 99.9% Efficient
- 5-Year limited warranty

Model# Stock#	F156011 HSSVBF10LPT	F155550 HSVFB10NG	F155583 HSVFB10LP	F156021 HSSVFBF20NGBT	F156031 HSSVFBF20LPBT	F156061 HSSVFBF30NGBT	F156071 HSSVFBF30LPBT
BTU Rating	10,000	10,000	10,000	20,000	20,000	30,000	30,000
Burn Rate	0.463 lbs/hr	0.001 MCF	0.463 lbs/hr	0.020 MCF	0.926 lbs/hr	0.030 MCF	1.389 lbs/hr
Variable Output	NO	YES	YES	NO	NO	NO	NO
Heats Up To: (Approx. Sq. Ft.)	300	300	300	700	700	1,000	1,000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas	Propane
Minimum Recommended Tank Size	20 lb.	NA	20 lb.	NA	20 lb.	NA	20 lb.
Certified	YES	YES	YES	YES	YES	YES	YES
Low Oxygen Safety Shut-Off	YES	YES	YES	YES	YES	YES	YES
Feet & Hardware Included	YES	YES	YES	YES	YES	YES	YES
Ignition	Electronic	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Integrated Blower Fan	NO	NO	NO	YES	YES	YES	YES
Thermostat	YES	NO	NO	YES	YES	YES	YES

\* 4500 ft high altitude restriction (see manual for use above 4,500 feet)

\* Not Approved for use in California or Canada.

This heater obtained the indicated BTU ratings when tested per ANSI Z21.11.2-2002, addenda Z21.11.2a-2003 "Gas Fired Room Heaters," Volume II, "Unvented Room Heaters." Always check local codes for permitted uses.



# RADIANT TUBE HEATERS

## ERSP (SINGLE STAGE), ERXL (SINGLE STAGE), & ER2STG (TWO-STAGE) TUBE HEATERS



**Straight Installation**



**U-Tube Installation**

### FEATURES

- 10-Year warranty\*
- Available in 10 to 60 foot system lengths
- Aluminized 16 gauge steel tubing
- Outside or inside air for combustion
- Sealed burner control box
- Full cover polished aluminum reflector
- Reflectors install horizontally or at 45°
- Stainless steel couplers
- Chrome plated hanging brackets
- Underside burner sight glass
- All components are name-brand non-proprietary
- 24 Volt or line voltage thermostat install option
- Layout and design service available
- **NG burners include LP conversion kit**

\*Warranty limited to 2 years in ammonia, chlorine, chemical exposure and car wash installations. See 2016 owners manual for complete details.



### ACCESSORY KITS

\*Installation kits include vent cap, thermostat, shut-off valve, SS flex connector & chain kits.

Stock #	Description
F102603	*Installation kit for 30' unit (ER 2STG100)
F102604	*Installation kit for 40' unit (ER 2STG125)
F102606	*Installation kit for 50' unit (ER 2STG125/175)
F102608	*Installation kit for 60' unit (ER 2STG175)

Stock #	Description
F106414	180° U-Tube Kit
F106415	90° Elbow Kit
14585P	Hanger Kit (2 per 10')
17370	Chain Kit (1 per 10')

Stock #	Description
F111751	*Installation kit for 20' unit(ERXL-60, 80)
F111752	*Installation kit for 30' unit(ERXL-80, 100)
F111753	*Installation kit for 40' unit(ERXL-100, 125)
F111754	*Installation kit for 50' unit(ERXL 125,150, 175)
F111755	*Installation kit for 60' unit (ERXL 150, 175)

Stock #	Description
00438	Side Reflector Kit
F102601	ER2STG Thermostat
10371	24V Thermostat
10392	120V Thermostat

## NEW ERSP - Single Stage Burner Boxes - Spark Ignition

Stock #	Model #	BTU/HR	Gas
F102594SP	ERSP40-N	40,000	NG
F102595SP	ERSP40-LP	40,000	LP
F102650SP	ERSP60-N	60,000	NG
F102651SP	ERSP60-LP	60,000	LP
F102652SP	ERSP80-N	80,000	NG
F102653SP	ERSP80-LP	80,000	LP
F102654SP	ERSP100-N	100,000	NG
F102655SP	ERSP100-LP	100,000	LP

Stock #	Model #	BTU/HR	Gas
F102656SP	ERSP125-N	125,000	NG
F102657SP	ERSP125-LP	125,000	LP
F102658SP	ERSP150-N	150,000	NG
F102659SP	ERSP150-LP	150,000	LP
F102660SP	ERSP175-N	175,000	NG
F102661SP	ERSP175-LP	175,000	LP

## ERXL - Single Stage Burner Boxes - Hot Surface Ignition

Stock #	Model #	BTU/HR	Gas
F102594XL	ERXL40-N	40,000	NG
F102595XL	ERXL40-LP	40,000	LP
F102650XL	ERXL60-N	60,000	NG
F102651XL	ERXL60-LP	60,000	LP
F102652XL	ERXL80-N	80,000	NG
F102653XL	ERXL80-LP	80,000	LP
F102654XL	ERXL100-N	100,000	NG
F102655XL	ERXL100-LP	100,000	LP

Stock #	Model #	BTU/HR	Gas
F102656XL	ERXL125-N	125,000	NG
F102657XL	ERXL125-LP	125,000	LP
F102658XL	ERXL150-N	150,000	NG
F102659XL	ERXL150-LP	150,000	LP
F102660XL	ERXL175-N	175,000	NG
F102661XL	ERXL175-LP	175,000	LP

## ER2STG - 2 Stage Tube Burner Boxes - Hot Surface Ignition

Stock #	Model #	BTU/HR	Gas
F102600	ER 2STG100-N	60,000 LOW - 100,000 HIGH	NG
F102602	ER 2STG100-LP	60,000 LOW - 100,000 HIGH	LP
F102605	ER 2STG125-N	80,000 LOW - 125,000 HIGH	NG
F102607	ER 2STG125-LP	80,000 LOW - 125,000 HIGH	LP
F102610	ER 2STG175-N	125,000 LOW - 175,000 HIGH	NG
F102612	ER 2STG175-LP	125,000 LOW - 175,000 HIGH	LP


**ALL NG BURNERS INCLUDE LP CONVERSION KIT**

## TUBE SETS - For use with ERSP, ERXL, & ER2STG Burner Boxes

Tube sets include: Tubes, reflectors, hangers, couplers, & vent adapter, plus turbulator where necessary

Stock #	Use with Burner Box models	Mounting Clearance to Combustibles					Typical Mounting Height	Shipping Weight (lbs.)
		Length	Top Horizontal	Top 45° Angle	Straight Below	Sides		
F106408XL	ERXL40 (10' Turbulator)	10'	6"	12"	55"	30"	10-14'	90
F106404XL	ERXL60/80 (10' Turbulator)	20'	6"	18"	55"	36"	12-15'	110
F106405XL	ERXL80 (10' Turbulator)	30'	6"	18"	55"	36"	12-15'	110
F106401XL	ERXL100 (5' Turbulator) or ER2STG100 N/LP	30'	6"	18"	74"	36"	12-15'	130
F106406XL	ERXL100/125 or ER2STG125 N/LP	40'	6"	18"	87"	36"	14-19'	150
F106407XL	ERXL125/150/175 or ER2STG125/175 N/LP	50'	6"	18"	87"	36"	15-25'	170
F106403XL	ERXL150/175 or ER2STG175 N/LP	60'	6"	18"	87"	36"	15-25'	190

# HS45GSP TUBE HEATERS




\*Pictured with optional grid kit



## FEATURES

- 45,000 BTU/HR
- Compact 3" aluminized steel u-tube design
- Provides uniform heat distribution
- Polished aluminum deep-dish reflector
- Quiet operation
- 120vac, single phase, 1 amp
- Low clearance requirements
- Reliable direct spark ignition
- Burner and tube set in one box



## TUBE HEATERS

Stock #	Model #	BTU/HR	Gas
F102857	HS45GSP-NG	45,000	NG
F102855	HS45GSP-LP	45,000	LP

## VENTING SPECIFICATIONS

Length min.	Length Max.	Intake/Pipe	Vent Pipe
3'	25'	3" Diameter	4" Diameter

## TUBE HEATER SPECIFICATIONS

Data	HS45GSP-NG	HS45GSP-LP
Stock Number	F102857	F102855
Input (BTU/HR)*	45,000	45,000
Fuel Type	Natural Gas	Propane
Electrical Rating	120VAC, 60Hz, single phase, 1 amp	120VAC, 60Hz single phase 1 amp
Electrical Connection	3 pin moulded plug	3 pin moulded plug
Gas Inlet Connection	1/2" female NPT	1/2" female NPT
Gas Inlet Pressure Minimum/Maximum	5.0" / 10.5" w.c.	11.0" / 13.5" w.c.
Manifold Pressure	4.0" w.c.	10.0" w.c.
Weight	91 lbs.	91 lbs.
Length	10'-3"	10'-3"

## ACCESSORIES

Stock #	Description	UPC
F102848	Vent Kit-Vertical - 4" (Galvanized)	0830102848-7
F102860	Vent Kit- Horizontal-4" (Stainless Steel)	08930102860-9
10371	24v Thermostat	856795001230
F102859	Decorative Grid Kit	089301003834
F102834	Install Kit (T-stat, Shut-Off Valve, Flex Connector, 1/2" Nipple)	089301028340

## MOUNTING CLEARANCE TO COMBUSTIBLES

Top	Bottom	Burner Side	Exhaust Side	Reflector End	Burner End
Horizontal					
6"	54"	24"	24"	6"	24"
Angle (Hung Burner Side UP)					
6"	36"	36"	6"	6"	24"



# HIGH INTENSITY INFRARED HEATERS



## FEATURES

- Durable - rugged construction
- Instant heat - quiet, clean, odor-free operation
- Maintenance free - no moving parts to service
- CSA certified
- Limited 10-year warranty on burner assembly
- Limited 1-year warranty on gas control
- No direct venting required
- Multiple BTU outputs (conversion orifices included)
- Spark ignition heaters ship with 40VA transformer
- Millivolt (power pile) control heaters ship with thermostat
- Non corrosive materials used throughout construction

## CONTROL SYSTEMS

Optional controls available, contact factory for details

Suffix	Description	Gas
SP	Automatic Spark Ignition on pilot with safety burner shutoff, 24VAC control with intermittent pilot. (Pilot is off when heater is off) Transformer 120V/24V shipped loose with heater	NG/LP
PP	Power pile (self-generating) millivolt control. No outside electrical source is required to turn heater on and off. Manually lit pilot. Safety shutoff on pilot and burner. Thermostat shipped loose with heater.	NG/LP



## DECORATIVE KITS & ACCESSORIES

Stock #	Description
F104440	4000 Series Decorative Grid Kit
F104445	8000 Series Decorative Grid Kit
F114581	Hanging Bracket
17374	Chain Hanging Kit
10371	24V Thermostat (spark only)

## 4000 SERIES HIGH INTENSITY INFRARED HEATERS

Stock #	Model #	BTU/HR	Gas	Control
F140629	HS4040SPNG	40,000	NG	SP
F140626	HS4040PPNG	40,000	NG	PP
F140731	HS4040SPLP	40,000	LP	SP
F140727	HS4040PPLP	40,000	LP	PP

**NOTE: ALL 4040 HEATERS COME WITH AN EXTRA ORIFICE TO CONVERT TO 30,000 BTU'S.**

## 8000 SERIES HIGH INTENSITY INFRARED HEATERS

Stock #	Model #	BTU/HR	Gas	Control
F180629	HS8060SPNG	60,000	NG	SP
F180626	HS8060PPNG	60,000	NG	PP
F180731	HS8060SPLP	60,000	LP	SP
F180727	HS8060PPLP	60,000	LP	PP

**NOTE: ALL 8060 NG HEATERS COME WITH EXTRA ORIFICES TO CONVERT TO 50,000 or 70,000 BTU'S. (70,000 BTU only available in NG)**

**NOTE: ALL 8060 LP GAS HEATERS COME WITH AN EXTRA ORIFICE TO CONVERT TO 50,000 BTU'S.**

## 9000 SERIES HIGH INTENSITY INFRARED HEATERS

Stock #	Model #	BTU/HR	Gas	Control
F191830	HS9100SSPNG	100,000	NG	SP
F191626	HS9100SPPNG	100,000	NG	PP
F191931	HS9100SSPLP	100,000	LP	SP
F191927	HS9100SPPLP	100,000	LP	PP

**NOTE: ALL 9000S HEATERS COME WITH EXTRA ORIFICES TO CONVERT TO 80 OR 90,000 BTU'S.**

**NOTE: ALL 9120NG HEATERS COME WITH EXTRA ORIFICES TO CONVERT TO 100,000 OR 140,000 BTU'S. (140,000 BTU only available in NG)**

**NOTE: ALL 9120LP HEATERS COME WITH AN EXTRA ORIFICE TO CONVERT TO 100,000 BTU'S.**

Stock #	Model #	BTU/HR	Gas	Control
F190630	HS9120SPNG	120,000	NG	SP
F190626	HS9120PPNG	120,000	NG	PP
F190731	HS9120SPLP	120,000	LP	SP
F190727	HS9120PPLP	120,000	LP	PP

## ARCHITECT COLLECTION


### GLASS FRONT

Model #: HSRP37GL Stock #: F140200



### METAL GRILL FASCIA

Model #: HSRP37MT Stock #: F140300



Thermal power	37,000 BTU/Hr
Maximum NG consumption	37 cuft/h
Maximum LP consumption	1.76 lb/h
Heater dimensions	43.11"x12.5"
Heater weight	66 lbs
Number of ceramic plates	6
Maximum electric power absorption	22 [W]
Power supply	120V/60Hz/1 Phase





### INCLUDES


- Brackets
- Heat deflector
  - Allows low clearance to ceiling 13"
- On/off remote

### FEATURES

- Runs on NG or LP
- Highly efficient, quiet radiant heat
- Compact, minimal design
- No air movement
- Instant heat
- Efficient use of fuel
- Constructed of high quality materials for reliability
- Spark ignition
- Certified



Heat deflector



## HIGH INTENSITY INFRARED HEATERS



### FEATURES

- 30,000 BTU Burner (convertible to 40,000 BTU)
- Decorative grate protects burners from damage & acts as a wind guard
- Black, satin gloss painted body and reflectors\*\*
- Spark ignition
- 120V 24V / 40VA Transformer included loose in box
- Mounts horizontal or at 45° angle - mounting brackets included (black)
- Operates with 24V or 120V thermostats
- No direct venting required
- Warranty: pro-rated 3 year (burner assembly), limited 1 year (gas control)
- Made from corrosion resistant materials – durable, rugged construction

(Convert 30,000 BTU/HR to 40,000 BTU/HR using optional orifice #05443)

### HEATERS

Stock #	Model #	BTU/HR	Gas
F140625	HSRR30SPNG	30,000	NG
F140627	HSRR30SPLP	30,000	LP

### CONVERSION KIT

Stock #	Description
05443	Converts all 30,000 BTU/HR to 40,000 BTU/HR



## GARAGE/WORKSHOP HEATERS



### FEATURES

- Economical - no electricity required
- Convenient - easy to operate and install
- Maintenance free - no moving parts to service
- Limited 5-Year warranty on burner
- Limited 1-Year warranty on gas control
- Quiet, clean, odor-free operation
- Includes thermostat
- CSA certified

### USES

- Garages/Workshops
- Barns/Utility/Storage Sheds
- Animal Pens/Stalls
- Loading Docks
- Building Construction Sites
- Doorways/Ramps for Snow Prevention

### HEATERS

Stock #	Model #	BTU/HR	Gas
F125444	H25N	25,000	NG
F125545	H22L	22,000	LP



## RADIANT CABINET HEATERS



### HEATSTAR®

Model #: HS18CH  
Stock #: F147500

### MR.HEATER®

Model #: MH18CH  
Stock #: F227500

### FEATURES



6,000 - 12,000 - 18,000 BTU



Heats up to 450 sq. ft.



Runs up to 72 hours on one 20 lb. propane tank

- Ideal for restaurant patio seating
- Lower cost than heating towers
- Low/medium/high heat settings
- 20 lb. propane tank mounts inside unit for easy portability
- Hose and regulator included
- Tip-over safety shut-off switch
- Automatic low oxygen depletion shut-off system (ODS)
- Rugged steel construction
- Lockable casters

\*7000 ft. high altitude restriction

# GAS UNIT HEATERS

## HEATSTAR® POWER VENTED UTILITY HEATERS



50,000 BTU unit shown



80,000 BTU unit shown



125,000 BTU unit shown

### FEATURES

- Power exhaust allows for vertical or horizontal venting (*sold separately*)
- Charcoal grey cabinet
- 80% thermal efficiency
- Designed for right or left side venting
- Easy outside access for thermostat connections
- Set up for natural gas; includes LP conversion kit
- 24V thermostat - F200042 (*sold separately*)
- Finger proof fan guard
- High velocity fan
- 115 V AC required
- Spark ignition features self-diagnostic control mode
- Aluminized tubular heat exchanger for maximum efficiency and longer life
- Limited 3 year warranty on parts and burner
- Limited 10 year warranty on heat exchanger (*5 years when installed in corrosive environments*)



### HEATSTAR® UTILITY HEATERS

Designed for use in spaces adjacent to a residence. These heaters use a finer mesh fan guard and utility grade safety switches to meet the CSA Utility Heater standard.

Stock Number	Model Number	Output (BTU/HR)	Input (BTU/HR)	Heating Area	Flue Size	V / A / H Phase	Motor HP	Motor RPM	Shipping Weight	Unit Dimensions W x H x D	LP Conversion Kit (included)
F160551	HSU50NG	40,000	50,000	1,667 sq. ft.	4"	120 / 2.3 / 1	1/20	1,650	66 lbs.	25.0" x 12.0" x 24.0"	F260163
F160561	HSU80NG	64,000	80,000	2,667 sq. ft.	4"	120 / 2.3 / 1	1/10	1,050	88 lbs.	25.0" x 17.0" x 25.0"	F260163
F160491	HSU125NG	100,000	125,000	4,167 sq. ft.	4"	120 / 3 / 1	1/3	1,050	120 lbs.	25.0" x 24.6" x 26.5"	F260163

\* Additional conversion kits available for purchase (see accessories below)

### HEATSTAR® UTILITY HEATER ACCESSORIES

Stock Number	Description
F200029	Optional vent kit for vertical venting, 4 inch diameter
F102864	Optional vent kit for vertical venting, 6 inch diameter
F200030	Optional vent kit for horizontal venting/stainless steel, 4 inch diameter
F102863	Optional vent kit for horizontal venting/stainless steel, 6 inch diameter
F260164	Fuel conversion kit - converts utility heater from propane to natural gas
F260163	Fuel conversion kit - converts utility heater from natural gas to propane
F200042	24-volt thermostat

\* Above accessories do not apply to power vented and separated combustion unit heaters on page 13)



## HEATSTAR® POWER VENTED & SEPARATED COMBUSTION UNIT HEATERS




### FEATURES

- Power vented or separated combustion units
- Powder coated cabinet
- 82% thermal efficiency
- Air louvers with 3 locking positions
- All models ship equipped for natural gas (LP conversion kit sold separately)
- Easily installs using 3/8"-16 threaded rods (sold separately)
- Limited 3 year warranty on parts  
(limited to 1 year in high humidity or caustic environments)
- Limited warranty on aluminized steel heat exchanger: 10 years  
(limited to 5 years when installed in corrosive environments)
- Limited warranty on stainless steel heat exchanger: 10 years



## HEATSTAR® STANDARD COMBUSTION, POWER VENTED UNIT HEATERS

Designed to use fresh air for combustion instead of indoor air. These heaters can also operate with a vent pipe only, in standard combustion mode, by pulling in fresh air directly from the room.




Draws in air from the space the heater is installed

## STANDARD COMBUSTION, POWER VENTED UNIT SPECIFICATIONS

Stock Number	Model Number	Output (BTU/HR)	Input (BTU/HR)	Heating Area	Flue Size	V / A / H Phase	Motor HP	Motor RPM	Shipping Weight	Unit Dimensions W x H x D	LP Conversion Kit (sold separately)
<b>ALUMINIZED STEEL HEAT EXCHANGER</b> *(125,000 BTU model is available by special order only)											
F163062	HSU150NGPALP	123,000	150,000	5,000 sq. ft.	4"	115 / 5 / 1	1/6	1,050	170 lbs.	33.5" x 23.5" x 33.0"	F163070
F163063	HSU200NGPALP	164,000	200,000	6,700 sq. ft.	4"	115 / 7 / 1	1/3	1,140	212 lbs.	40.5" x 26.3" x 35.0"	F163071
F163064	HSU250NGPALP	205,000	250,000	8,400 sq. ft.	6"	115 / 7 / 1	1/3	1,140	244 lbs.	40.5" x 29.0" x 35.0"	F163072
F163065	HSU300NGPALP	246,000	300,000	10,000 sq. ft.	6"	115 / 10 / 1	1/2	1,130	264 lbs.	40.5" x 31.8" x 35.8"	F163073
F163066	HSU400NGPALP	328,000	400,000	13,400 sq. ft.	6"	115 / 12 / 1	3/4	1,125	341 lbs.	40.5" x 40.0" x 36.3	F163073
<b>STAINLESS STEEL HEAT EXCHANGER</b> *(100,000 and 150,000 BTU models are available by special order only)											
F163051	HSU125NGPSSP	102,500	125,000	4,167 sq. ft.	4"	115 / 5 / 1	1/8	1,440	152 lbs.	36.0" x 20.7" x 32.0"	F163070
F163053	HSU200NGPSSP	164,000	200,000	6,700 sq. ft.	4"	115 / 7 / 1	1/3	1,140	212 lbs.	40.5" x 26.3" x 35.0"	F163071
F163054	HSU250NGPSSP	205,000	250,000	8,400 sq. ft.	6"	115 / 7 / 1	1/3	1,140	244 lbs.	40.5" x 29.0" x 35.0"	F163072
F163055	HSU300NGPSSP	246,000	300,000	10,000 sq. ft.	6"	115 / 10 / 1	1/2	1,130	264 lbs.	40.5" x 31.8" x 35.8"	F163073
F163056	HSU400NGPSSP	328,000	400,000	13,400 sq. ft.	6"	115 / 12 / 1	3/4	1,125	341 lbs.	40.5" x 40.0" x 36.3	F163073

## HEATSTAR® SEPARATED COMBUSTION UNIT HEATERS

The fan pulls fresh air into the combustion chamber from the room air. The power vent system quickly and efficiently exhausts flue gases from the unit heater to the outdoors through a single vent pipe, minimizing installation labor.



Draws in clean air from outdoors or adjacent area

## POWER VENTED UNIT SPECIFICATIONS

Stock Number	Model Number	Output (BTU/HR)	Input (BTU/HR)	Heating Area	Flue Size	V / A / H Phase	Motor HP	Motor RPM	Shipping Weight	Unit Dimensions W x H x D	LP Conversion Kit (sold separately)
<b>ALUMINIZED STEEL HEAT EXCHANGER</b>											
F163042	HSU150NGPAL	123,000	150,000	5,000 sq. ft.	4"	115 / 5 / 1	1/6	1,050	170 lbs.	33.5" x 23.5" x 33.0"	F163070
F163043	HSU200NGPAL	164,000	200,000	6,700 sq. ft.	4"	115 / 7 / 1	1/3	1,140	212 lbs.	40.5" x 26.3" x 35.0"	F163071
F163044	HSU250NGPAL	205,000	250,000	8,400 sq. ft.	6"	115 / 7 / 1	1/3	1,140	244 lbs.	40.5" x 29.0" x 35.0"	F163072
F163045	HSU300NGPAL	246,000	300,000	10,000 sq. ft.	6"	115 / 10 / 1	1/2	1,130	264 lbs.	40.5" x 31.8" x 35.8"	F163073
F163046	HSU400NGPAL	328,000	400,000	13,400 sq. ft.	6"	115 / 12 / 1	3/4	1,125	341 lbs.	40.5" x 40.0" x 36.3	F163073
<b>STAINLESS STEEL HEAT EXCHANGER</b> *(100,000, 125,000 and 150,000 BTU models are available by special order only)											
F163033	HSU200NGPSS	164,000	200,000	6,700 sq. ft.	4"	115 / 7 / 1	1/3	1,140	212 lbs.	40.5" x 26.3" x 35.0"	F163071
F163034	HSU250NGPSS	205,000	250,000	8,400 sq. ft.	6"	115 / 7 / 1	1/3	1,140	244 lbs.	40.5" x 29.0" x 35.0"	F163072
F163035	HSU300NGPSS	246,000	300,000	10,000 sq. ft.	6"	115 / 10 / 1	1/2	1,130	264 lbs.	40.5" x 31.8" x 35.8"	F163073
F163036	HSU400NGPSS	328,000	400,000	13,400 sq. ft.	6"	115 / 12 / 1	3/4	1,125	341 lbs.	40.5" x 40.0" x 36.3	F163073

Please note: all unit dimensions and weights are subject to change

# NOMAD

**FEATURES**

- Whisper Quite Operation
- Multi-Rate Heat Settings - High/Low
- Higher CFM
- Easy Reset High Limit Switch
- Choose Rate and Fuel with Flip of a Switch
- Flexible Diffuser Connector System
- Certified



**DUAL FUEL (NG/LP)**

Stock #	Model #	BTU/HR NG	BTU/HR LP
F109100	HS115TC	108,000	111,000
F109110	HS190TC	184,000	190,000
F109120	HS250TC	250,000	250,000

**SINGLE FUEL (LP)**

Stock #	Model #	BTU/HR LP
F109200	HS115SF	111,000
F109210	HS190SF	190,000
F109220	HS250SF	250,000

Stock #	Diffuser Kits	Description
F109105	Diffuser kit for HS115TC (SF)	12" diameter diffuser
F109115	Diffuser kit for HS190TC (SF) or HS250TC (SF)	16" diameter diffuser
Adapter Rings		
F109106	Duct adapter ring for HS115TC (SF)	12" diameter connector ring
F109116	Duct adapter ring for HS190TC (SF) or HS250TC (SF)	16" diameter connector ring
Ducts		
F109107	Short duct for HS115TC (SF)	30" siliconized flex duct, 12" diameter
F109117	Short duct for HS190TC (SF) or HS250TC (SF)	30" siliconized flex duct, 16" diameter
F109108	Long duct for HS115TC (SF)	10' siliconized flex duct, 12" diameter
F109118	Long duct for HS190TC (SF) or HS250TC (SF)	10' siliconized flex duct, 16" diameter
Storage		
F109119	Painted steel storage box optional for HS190TC (SF)/HS250TC (SF)	31 1/4" x 20 1/4" x 10" box with lock hasp





## INDIRECT-FIRED PRO SERIES HEATERS



HSP70ID

HSP100ID

HSP200ID

HSP300ID

**KEROSENE  
JP8 (JET A FUEL)  
#1 & 2 DIESEL FUEL  
#1 & 2 FUEL OIL**

Stock #	Model #	BTU/HR	FUEL
F105105	HSP70ID	70,000	Kerosene
F105110	HSP100ID	122,000	Kerosene
F105115	HSP200ID	180,000	Kerosene
F105120	HSP300ID	285,000	Kerosene



\*Ducts, adapters, diffusers, and thermostats sold separately.



HSP400ID-G



HSP500ID-A



Stock #	Model #	BTU/HR	FUEL
F105135	HSP400ID-G	400,000	NG/LP
F105125	HSP500ID-A	400,000 (MAX 500,000)	Kerosene

\*Ducts, adapters, diffusers, and thermostats sold separately.

Stock #	Description
F105198	100 Gallon Fuel Tank for HSP500ID-A

## DIRECT-FIRED PRO SERIES HEATERS



HS3500DF



HS6000DF



HS4000NG/LP

Stock #	Model #	BTU/HR	FUEL
F151089	HS3500DF	360,000	Kerosene
F151100	HS6000DF	610,000	Kerosene
F151200	HS4000NG/LP	400,000	NG/LP



## PELLET STOVES



### SMART HOME TECHNOLOGY

- All pellet stoves come equipped with smart home technology
- App gives full control over stove settings & operation
- Available for IOS & Android



# CLEVELAND IRON WORKS®



Mini  
PS20W



Medium  
PS60W



Large  
PS130W



Bayfront  
PSBF66W

**ALL PELLET STOVES  
ARE ELIGIBLE FOR A  
30% TAX CREDIT**

Stock #	Model #	Hopper Capacity	BTU/HR
F500215	PS20W	18 lbs.	25,000
F500200	PS60W	60 lbs.	34,000
F500205	PS130W	130 lbs.	49,000
F500210	PSBF66W	66 lbs.	52,000



**WOOD STOVES**



Stock #	Model #	Description
F500105	H100	Ontario™ Wood Stove
F500110	H110	Huron™ Wood Stove
F500308	HB50	Accessory- Blower
F500313	HF60	Accessory- Fresh Air Kit

**CAMP STOVES**



Stock #	Model #	Description
F500300	CSSK	Camp Stove Starter Kit
F500305	CSEK	Double Barrel Adapter Kit

**ASH VACUUMS**



Stock #	Model #	Gallon Size
F500520	AV65GALB	6.5
F500522	AV65GALSS	6.5

**FIRE BRICKS**



Stock #	Model #	# of Bricks
F500310	6 pack	6
F500315	Bulk pack	138

# PORTABLE PROPANE BUDDY HEATERS



Model #	MH4B	MH9BX	MH12HB	MH18B	MH11BFLEX	MH8CFLEX
Stock #	F215100	F232000	F232035	F274800	F600100	F600500
BTU	3,800	4,000/9,000	6,000/12,000	4,000/9,000/18,000	6,000-11,000	4,000-8,000

## HEATER FEATURES

- Indoor safe  
(Certified outdoor use only in Massachusetts/Canada)
- Tip-over safety shut-off
- Automatic low oxygen depletion shut-off system (ODS)
- Portable radiant heat
- Certified

## COMMON USES

- Ice Fishing
- Hunting
- Camping
- Workshop
- Outdoor sports

## COOKER FEATURES

- Runs up to 2.75 hours on high
- High performance radiant fiber mesh
- Integrated electronic ignition
- 28" quick-connect hose included
- Used with the BuddyFlex® heater





**Electric Buddy™**



**Electric Buddy™**



Model #	MHBE150FAT	MHBEW150FATRW	MHE150FAT
Stock #	F236300	F236330	F236200
Volts/Watts	120v/1500W	120v/1500W	120v/1500W
Cord Wrap Storage	Yes	Yes	No
Cord Length	6 Feet	6 Feet	6 Feet
Tip-Over Safety Switch	Yes	Yes	Yes
Overheat Protection	Yes	Yes	Yes
Warranty	1 Year	1 Year	1 Year

**PORTABLE ELECTRIC BUDDY™ FEATURES**

- Fold down handle
- Ceramic heating element
- 2 heat settings: low/high
- Fan only setting
- Adjustable thermostat

**WALL MOUNT ELECTRIC BUDDY™ FEATURES**

- Wi-Fi/Bluetooth enabled via app and common smart home devices
- Control the heater via touch screen control panel, remote, or smart home app
- Infrared heating element
- 3 heat settings: eco/low/high
- Adjustable thermostat with 12H timer
- Fan-forced for wide heat distribution

**PORTABLE ELECTRIC HEATER FEATURES**

- Instant, whisper quiet heat
- Thermostatically controlled
- 2 heat settings: low/high
- Fan only option
- Integrated handle for easy portability



# DEWALT® CORDLESS JOB-SITE HEATERS

## PORTABLE RADIANT HEATER



Stock #	Model #	BTU/HR
F332000	DXH12B	9,000 / 12,000



## RADIANT JOB-SITE HEATER



Stock #	Model #	BTU/HR
F340620	DXH45LP	45,000

## CORDLESS FORCED AIR PROPANE



**HYBRID TECHNOLOGY:**  
Runs cordless using DEWALT battery or plugged in to DC outlet.

DeWalt® Cordless heaters work with all 20V Max® & FlexVolt® batteries. Battery and charger sold separate.



Stock #	Model #	BTU/HR	Gas Hose
F340661	DXH70CFAV	27,000 - 68,000	10'
F340662	DXH70CFAV (Canada only)	27,000 - 68,000	15'

## FORCED AIR PROPANE, DIRECT FIRED




All DeWalt® Forced Air Propane Heaters come standard with Quiet Burner Technology® making them 50% quieter than standard forced air propane heaters.



Stock #	Model #	BTU/HR
F340705	DXH40FA	40,000
F340710	DXH65FAV	35,000 - 65,000
F340715	DXH90FAV	50,000 - 90,000
F340720	DXH125FAV	10,000 - 125,000
F340725	DXH150FAV	100,000 - 150,000
F340730	DXH170FAVT	125,000 - 170,000
F340735	DXH210FAVT	160,000 - 210,000

## HEAVY-DUTY ELECTRIC HEATERS



Stock #	Model #	BTU/HR	Volt
F340635	DXH165	5,630	120V (Single Phase)
F340640	DXH330	11,260	240V (Single Phase)
F340645	DXH1000TS	23,884 (Lo) 34,121 (Hi)	240V (Single Phase)
F340650 (Cart incl.)	DXH2000TS	44,357 (Lo) 68,242 (Hi)	240V (Single Phase)
F340655 (Cart incl.)	DXH20003TS	44,357 (Lo) 68,242 (Hi)	240V (Three Phase)

## FORCED AIR KEROSENE, DIRECT FIRED



Stock #	Model #	BTU/HR
F340670	DXH50K	50,000
F340675	DXH75KT	75,000
F340680	DXH135KT	135,000
F340685	DXH185KT	185,000
F340690	DXH135HD	135,000
F340695	DXH190HD	190,000
F340700	DXH215HD	215,000

## CONVECTION JOB-SITE HEATERS



Stock #	Model #	BTU/HR
F170470	HS80CVX	30,000 - 80,000 (LP)
F170473	HS100CVNG	50,000 - 100,000 (NG)
F170475	HS200CVX	75,000 - 200,000 (LP)

## PORTABLE RADIANT JOB-SITE HEATERS



### OIL-FIRED

Stock #	Model #	BTU/HR
F105155	HSP60R	58,000
F105159	HSP125R	125,000
F105160	HSP150R	102,000/146,900

### PROPANE / NATURAL GAS

Stock #	Model #	BTU/HR
F170800	HS125LP	125,000
F170850	HS125NG	125,000

### PROPANE

Stock #	Model #	BTU/HR
F170700	HS35LP	35,000

## FORCED AIR PROPANE/NATURAL GAS



• 25% heavier gauge steel



### PROPANE

Stock #	Model #	BTU/HR
F170035	HS35FA	35,000
F170085	HS85FAV	50,000 - 85,000
F170125	HS125FAV	75,000 - 125,000
F170170	HS170FAVT	125,000 - 170,000
F172425	HS400FAVT	250,000 - 400,000

### NATURAL GAS

Stock #	Model #	BTU/HR
F170180	HS170NG	150,000

## PORTABLE RADIANT JOB-SITE HEATERS



Stock #	Model #	BTU/HR
F170250	HS50K	50,000
F170275	HS75KT	75,000
F170325	HS125KT	125,000
F170375	HS175KT	175,000
F170380	HS210KT	210,000



- 25% heavier gauge steel
- Octagonal barrel for strength
- Solid foam flat-free tires
- Large fuel tank



# PORTABLE PROPANE TANK TOP HEATERS

## TANK TOP HEATERS



MH15T



MH30T




MH45T



MH540

Stock #	Model #	BTU/HR
F242100	MH15T	10,000-15,000
F242650	MH30T	10,000-30,000
F242915	MH45T	10,000-45,000
F242540	MH540	48,000

## TANK TOP HEATER/COOKER



Stock #	Model #	BTU/HR
F242300	MH15C	10,000/12,500/15,000

## GOLF CART HEATER



Stock #	Model #	BTU/HR
F242010	MH4GC	4,000



## WARMING PRODUCTS



### HAND WARMERS

Model #	Description	UPC
F235011	Hand Warmers 40 individual pair per display box	08930100206-7
F235012	Hand Warmers 12 - 10 pk per display box	08930100234-0

### XL WARMERS

Model #	Description	UPC
F235076	XL Warmers 40 individual pair per display box	08930100208-1
F235077	XL Warmers 12 - 10 pk per display box	08930100236-4

### TOE WARMERS

Model #	Description	UPC
F235051	Toe Warmers 30 individual pair display box	08930100207-4
F235052	Toe Warmers 15 - 8 pk per display box	08930100235-7

### FULL FOOT WARMERS

Model #	Description	UPC
F235091	Full Foot Warmers 30 individual pair pk per display box	08930100249-4

### SEAT CUSHION & WARMER

Model #	Description	UPC
F235041	Seat Warmer - 1 Per Pack	08930100510-5
F235001	Portable Seat Cushion with Seat Warmer Insert	08930100511-2



## PORTABLE PROPANE STOVES



Stock #	Description
F235825	Single Burner Angle Iron Stove
F235830	Double Burner Angle Iron Stove
F235835	Triple Burner Angle Iron Stove
F173071	5' Propane Hose Assembly
F173072	12' Propane Hose Assembly



## PORTABLE PROPANE TORCHES



Stock #	Model #	BTU/HR	Ignition
F272601	MH400PT	400,000	Striker
F272602	MH500LPT	500,000	Striker



- Needle valve adjustment
- Excess flow P.O.L. fitting
- 10' hose included
- Bulk display cartons
- CSA certified

# BULK HOSES, FITTINGS, & REGULATORS

## ENERCO® LP GAS HOSES

STOCK #	DESCRIPTION
71120	40' - 3/8" Female Flare x 3/8" Male Pipe, 3/8" ID
71138-XX	Acme Nut x 1/4" Male Pipe, 1/4" ID <i>(Available in 8", 10", 15", 20", and 36")</i>
71139-XX	9/16" Left Hand Female Swivel x 9/16" Left Hand Female Swivel, 3/8" ID <i>(Available in 12", 24", 36", 48", 72", 180", 600", 900", and 1200")</i>
71140-900	75' - 3/8" Female Flair x 9/16" Left Handed Female Swivel, 3/8" ID
71142-XX	Flexible Hose Pigtail - 1/4" Inverted Male Flare x Full Flow P.O.L. with Handwheel, 1/4" ID <i>(Available in 15", 20", 30", and 36")</i>
71144-XX	Excess Flow Soft Nose P.O.L. x 1/4" Inverted Male Flare, 1/4" ID <i>(Available in 12", 15", 18", 20", 24", 30", 36", 48", 60", 72", 120", 144" and 180")</i>
71149-XX	3/8" Female Flare x 3/8" Female Flare, 1/4" ID <i>(Available in 12", 18", 24", 36", 48", 60", 72", 84", 96", 120", 144", 180", 240", 360", 600", and 1200")</i>
71152-XX	3/8" Male Pipe x 3/8" Male Pipe, 1/4" ID <i>(Available in 22" and 30")</i>
71153-XX	1/4" Male Pipe x 1/4" Male Pipe, 1/4" ID <i>(Available in 14", 22", 24", 36", and 300")</i>
71156-XX	Soft Nose P.O.L. x 1/4" Male Pipe, 1/4" ID <i>(Available in 18" and 20")</i>
71158-XX	Green Acme Nut x 1/4" Male Inverted Flare, 1/4" ID <i>(Available in 12", 15", 18", 20", 24", 30", 36", 48", 60", and 144")</i>
71161	22" Replacement Barbeque Hose & Regulator for Type 1 (QCC-1) Gas Grill Systems 3/8" Female Flare x 90° Regulator with Appliance End Fitting
71161-XX	Replacement Barbeque Hose & Regulator for Type 1 (QCC-1) Gas Grill Systems 3/8" Female Flare x 90° Regulator with Appliance End Fitting <i>(Available in 60" and 144")</i>
71163-XX	3/8" Female Flare x 3/8" Male Pipe, 1/4" ID <i>(Available in 24", 30", 36", 48", 60", 72", 96", 144", and 180")</i>
71168-XX	3/8" Male Flare x 3/8" Male Flare, 1/4" ID <i>(Available in 24", 36", 48", 60", and 144")</i>
71169-XX	3/8" Female Flare x 3/8" Female Flare, 3/8" ID <i>Available in 6", 12", 18", 24", 30", 32", 36", 48", 54", 60", 72", 84", 96", 108", 120", 132", 144", 180", 240", 300", 360", 600", and 1200"</i>
71178-XX	3/8" Male Pipe x 3/8" Female Pipe, 1/4" ID <i>(Available in 24", 36", 48", 60", 72", and 144")</i>
71180-XX	3' High Pressure Hose - 3/8" Female Flare x 1/4" Male Pipe, 3/8" ID <i>(Available in 36" and 600")</i>
71187-XX	3/8" Male Flare x 1/4" Female Pipe, 1/4" ID <i>(Available in 24", 36", 48", and 60")</i>
71189-36	3' - 1/4" Female Pipe x 1/4" Female Pipe, 1/4" ID
71191-XX	3/8" Male Pipe x 3/8" Male Flare, 1/4" ID <i>(Available in 24", 36", 48", and 60")</i>

STOCK #	DESCRIPTION
71196-XX	3/8" Male Flare x 1/4" Male Pipe, 1/4" ID <i>(Available in 24", 36", 48", and 60")</i>
71473-XX	30" - 1/2" Female Flare x 3/8" Male Pipe, 1/4" ID <i>(Available in 30", 40", 48", 60", and 72")</i>
71474	15' High Pressure Appliance Extension Hose - 1/4" Male Pipe x 1/4" Female Pipe, 1/4" ID
71475	12' High Pressure Hose - 1/4" Male Pipe x Excess Flow P.O.L., 1/4" ID
71477	12' High Pressure Hose - 1/4" Female Pipe x Excess Flow P.O.L., 1/4" ID
71802	12' Big/Tough Buddy RV Hose - 3/8" Quick Connect x 3/8" Female Flare, 1/4" ID
71803	12' Big/Tough Buddy Hose & Regulator - 3/8" Quick Connect x Regulator with Acme Nut, 1/4" ID
73071	5' Hose & Regulator - Regulator with Soft Nose P.O.L. & Handwheel x 3/8" Female Flare, 1/4" ID
73071-XX	Hose & Regulator - Regulator with Soft Nose P.O.L. & Handwheel x 3/8" Female Flare, 1/4" ID <i>(Available in 72" and 96")</i>
73072	12' Hose & Regulator - Regulator with Soft Nose P.O.L. & Handwheel x 3/8" Female Flare, 1/4" ID
73700-XX	Soft Nose Excess Flow P.O.L. with Handwheel x Swivel 1"-20 Male Throatway Cylinder Thread <i>(Available in 36", 48", and 84")</i>
73701	5' - Soft Nose Excess Flow P.O.L. with Handwheel x Swivel 1"-20 Male Throatway Cylinder Thread
73702	12' - Soft Nose Excess Flow P.O.L. with Handwheel x Swivel 1"-20 Male Throatway Cylinder Thread
73703-XX	Acme Nut x 1"-20 Male Throatway Cylinder Thread <i>(Available in 60" and 144")</i>
73704	10' - 1/4" ID, Swivel 1"-20 Male Throatway Cylinder Thread
73707	5' - 1/4" Male Pipe x 3/8" Female Flare
73707-XX	1/4" Male Pipe x 3/8" Female Flare <i>(Available in 108" and 144")</i>
73710	5' - Swivel 1"-20 Male Throatway Cylinder Thread x Swivel 1"-20 Female Throatway Cylinder Thread
73711	12' - Swivel 1"-20 Male Throatway Cylinder Thread x Swivel 1"-20 Female Throatway Cylinder Thread
73716	22" - 3/8" Male Pipe x 3/8" Female Flare (same hose as 71163)
73717-XX	1/4" Female Pipe x 1/4" Male Pipe <i>(Available in 24", 60", 72", 84", 120", and 144")</i>
73718	8' - Acme Nut with Propane Gauge x 1"-20 Male Throatway Cylinder Thread
73726	3' - 3/8" Female Flare x 1/2" Female Flare
73720P	12' Natural Gas Patio Hose - 3/8" Male Flare x 3/8" Male Pipe
76124	5' - 3/8" Female Pipe x 3/8" Male Pipe, 1/4" ID
76125	12' - 3/8" Male Pipe x 3/8" Female Pipe, 1/4" ID
76148	5' Appliance Extension Hose Assembly - 9/16" Left Hand Female Thread x 9/16" Left Hand Female Thread
76149	12' Appliance Extension Hose Assembly - 9/16" Left Hand Female Thread x 9/16" Left Hand Female Thread

When ordering above listed hose assemblies, please use stock number shown then a dash with the two digit size (XX) marked after the dash in inches. Examples: 71163-XX will be 71163-12. This is a 12 inch 71163 hose assembly. 71163-XX will be 71163-15. This is a 15 inch 71163 hose assembly. Check with local rep or Enerco Factory consultant for custom sizes and other offerings.



## ENERCO® FITTINGS & ACCESSORIES

STOCK #	DESCRIPTION
71714	"Y" Block - All ends 1/4" Female Pipe
71715P	Male "Y" Adaptor with Handwheel - 2 ends 1"-20 Male Disposable Cylinder Threads x Soft Nose P.O.L.
71716	Double 1/4" Female Quick Connects x 1/4" Male Quick Connect
71718	Propane Tank 1/4" Female Quick Connect x Appliance Acme Nut
71719	ADAPTER, 1/4 IN QCCMP ,90
71723	Soft Nose P.O.L. Safety Plug
71732	Tee, Hi-Flow, POL, TO, (2) 1in-20, Connection
71734	Tee, Hi-Flow, (2) QCC, TO, 1in-20, Connection
71735P	Female "Y" Adapter with Handwheel - 2 ends 7/8" Female Soft Nose P.O.L.'s x Soft Nose P.O.L.
71806	HOSE, 1/4ID, 12FT, L, 1/4 FQC, 1/4 MQC
72776	Two Stage Automatic Changeover Regulator - 2 ends 1/4" Inverted Female Flares (Inlets) x 3/8" Female Pipe (Outlet)
72846	Auto-Change High Capacity Two Stage Regulator (Top View Indicator) - 2 ends 1/4" Inverted Female Flare (Inlets) x 3/8" Female Pipe (Outlet)
73169	STAND, TANKFOOT, CYLINDER, 20LBS
73655	Excess Flow Soft Nose P.O.L. x 1/4" Male Pipe Thread
73690	3/8" Female Pipe Thread x Male Plug (Use with 73691)
73691	3/8" Female Pipe Socket for 73720 & 73721 (Use with 73690)
73693	Dust Cap for Natural Gas Hose (73720 & 73721)
73694	Dust Plug for Natural Gas Hose (73720 & 73721)
73699	Fuel Filter For Buddy, Big Buddy and Tough Buddy Heaters
73717	HOSE,1/4ID,5'L,1/4FP,1/4MP
73719	High Pressure Regulator with Range of 0-60 P.S.I. - Soft Nose P.O.L. x 1/4" Female Pipe
73729	1/4" Male Pipe x 1/4" Inverted Female Flare
73751P	Adapter Tee - Soft Nose P.O.L. x 1"-20 Disposable Cylinder Thread x Female Soft Nose P.O.L.
73752	Adapter Tee - P.O.L. x 1"-20 Disposable Cylinder Thread x Female P.O.L.
73753	90° Stay Flow Adapter - Excess Flow Soft Nose P.O.L. x 1"-20 Male Disposable Cylinder Thread x Female P.O.L. & Acme Thread
73754	Disposable Cylinder Adapter - 1/4" Male Pipe x 1"-20 Male Disposable Cylinder Thread
73755	Disposable Cylinder Adapter - 1/4" Male Pipe x 1"-20 Female Disposable Cylinder Thread
73756	1/4" Male Pipe x Soft Nose P.O.L. with Handwheel
73758	Bulk Cylinder Adapter with Handwheel - 1"-20 Male Disposable Cylinder Thread x Soft Nose P.O.L. with Handwheel
73759	90° Low Pressure Regulator - 3/8" Female Pipe x Soft Nose P.O.L.
73760	90° Elbow - Soft Nose P.O.L. x 1"-20 Male Disposable Cylinder Thread
73761	90° Low Pressure Regulator with Appliance End Fitting for Type 1 (QCC-1) Gas Grill Systems
73762	1/4" Male Pipe x Full Flow Soft Nose P.O.L. with Handwheel
73763	Two Stage Regulator "6 o'clock vent" (VERTICAL APPLICATION) - 1/4" Female Pipe (Inlet) x 3/8" Female Pipe (Outlet)
72766	Low Pressure Regulator - 1/4" Female Pipe x 3/8" Female Pipe
73767	Low Pressure Regulator - 1/4" Female Pipe x 3/8" Female Pipe
73769	Portable Tableop Regulator - Orifice x 1"-20 Female Disposable Cylinder Thread
73783	Plastic Handwheel for Soft Nose P.O.L.'s
73786	"O" Ring - 3/8" ID x 1/2" OD
73791	Female P.O.L. with Acme Thread x 1/4" Male Pipe
73794	REGULATOR, W/ QCC1,11IN, WC

STOCK #	DESCRIPTION
73827	Two Stage Regulator "9 o'clock vent" (HORIZONTAL APPLICATION) - 1/4" Female Pipe (Inlet) x 3/8" Female Pipe (Outlet)
73831	High Pressure Regulator (30 psi) - 1/4" Female Pipe x 1/4" Female Pipe
72846	Auto-Change High Capacity Two Stage Regulator (TOP View Level Indicator) - 2 ends 1/4" Inverted Female Flare (Inlets) x 3/8" Female Pipe (Outlet)
73863	Horizontal Propane Two Stage Regulator w/ POL Clamshell
75217	Plastic Stand for 16.4 oz. & 14.3 oz. Disposable Propane Cylinders
76127	6V/800mA Power Adapter For Big Buddy and Tough Buddy Heaters
76129	Soft Nose P.O.L. with Restricted Flow - 9/16" Left Hand Male Thread x Soft Nose P.O.L.
76130	9/16" Left Hand Male Pipe x 1"-20 Disposable Cylinder Thread w/ Shut-off
76132	Bulk Cylinder Adapter - 1"-20 Disposable Cylinder Thread x Soft Nose P.O.L.
76133	Bulk Adapter with Acme Nut - Acme Nut x 1"-20 Male Disposable Cylinder Thread
76134	Tee Connector - All ends 1/4" Female Pipe
76136	Low Pressure Regulator - 3/8" Female Pipe Thread x Soft Nose P.O.L.
76137	Cross Connector - All ends 1/4" Female Pipe
76139	Pigtail - 1/4" Male Pipe x Soft Nose P.O.L.
76140	1"-20 Disposable Cylinder Thread x 1/4" Female Pipe Thread
76145	Tee Connector - All ends 3/8"
76152	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread
76153	3/8" Male Pipe Thread x 9/16" Left Hand Male Thread
76154	9/16" Left Hand Male Thread x 9/16" Left Hand Male Thread
76157	3/8" x 3/8" Hex Pipe
76171	Propane Grill Steak Saver Adapter - Female Disposable Cylinder Thread x Female P.O.L. & QCC-1
76172	Propane Tank Refill Adapter - Female Disposable Cylinder Thread x P.O.L.
76186	1/4" Propane or Natural Gas Quick Connector & Excess Flow Protection Plug - 1/4" Male Pipe x 1/4" Female Pipe
76187	3/8" Gas Quick Connector - 3/8" Male Pipe x 3/8" Female Pipe
76190	1/4" Propane or Natural Gas Quick Connector & Full Flow Plug - 1/4" Male Pipe x 1/4" Female Pipe
76253	90° Swivel Elbow - 3/8" Swivel Female Flare x 3/8" Male Flare
76262	3/8" Male Pipe x 3/8" Male Flare
76276	1/2" Gas Quick Connector - 1/2" Female Pipe x Quick Connect (Use with 76277)
76277	1/2" Female Pipe x Male Plug (Use with 76276)
76280	Gas Mate II Quick Connector - 1/4" Female Pipe x Quick Connect (Use with 76281 & 76328)
76281	Gas Mate II Full Flow Plug - 1/4" Male Pipe x Male Plug *For appliances over 80,000 BTU's (Use with 76280, 76334)
76284W	Full Flow Plug - 1/4" Male Pipe Thread x Male Plug (Use with 76290W)
76290W	Gas Mate II Quick Connector with Shut-off Valve - Quick Connect x 1/4" Female Pipe (Use with 76284W)
76328	Gas Mate II Male Plug (Regulator Side) - 1/4" MPT x Male *For appliances under 80,000 BTU's (Use with 76280, 76334)
76329	Gas Mate II Fill Plug - 7/8" Female Soft Nose P.O.L. x Male Plug
76350	GAUGE, LP, GAS, ACME, HS
76372	Dust Cap for 73791 or any Acme (QCC-1) Fitting
76378	Gas Mate II Mini Kit - Quick Connect x Soft Nose P.O.L. *Tank side Adapter only (bagged) with instructions (cylinder valve side)
76495	Appliance End Fitting for Type 1 (QCC-1) Gas Grill Systems (75,000 BTU Capacity) - Acme Plastic Nut x 1/4" Male Pipe
76497	Appliance End Fitting for RV & Camping Systems (200,000 BTU Capacity) - Acme Plastic Nut x 1/4" Male Pipe



# BULK HOSES, FITTINGS, & REGULATORS

## ENERCO® LPG REELS, FITTINGS, & COUPLINGS

### BARB x PIPE FITTINGS

STOCK #	ID	DESCRIPTION
76222	1/4"	Barb 1/4" ID x 1/4" MP
76223	1/4"	Barb 1/4" ID x 3/8" MP
76220P	1/4"	Barb 1/4" ID x 3/8" FP
76219	1/4"	Barb 1/4" ID x 1/4" FP
76233	3/8"	Barb 3/8" ID x 3/8" MP
76283	3/8"	Barb 3/8" ID x 1/4" MP
76288P	3/8"	Barb 3/8" ID x 3/8" FP Swivel

### BARB x FLARE FITTINGS

STOCK #	ID	DESCRIPTION
76224	1/4"	Barb 1/4" ID x 1/4" FFS
76225	1/4"	Barb 1/4" ID x 3/8" SAE FF
76226	3/8"	Barb 1/4" ID x 3/8" SAE MF
76227	3/8"	Barb 1/4" ID x 1/4" Inverted Flare
76289	1/2"	Barb 3/8" ID x 1/2" FFS
76235	1/2"	Barb 3/8" ID x 3/8" SAE FF 45D

### FERRULES

STOCK #	ID	DESCRIPTION
76259	1/4"	Brass Ferrule for 1/4" Thermoplastic
76269	1/4"	Stainless Steel Ferrule for 1/4" Thermoplastic
76254	3/8"	Brass Ferrule for 3/8" Thermoplastic
76270	3/8"	Stainless Steel Ferrule for 3/8" Thermoplastic

Please call for 5/16" and 1/2" Ferrules

## TRUZERO® LPG FITTINGS & COUPLINGS

### BARB x PIPE FITTINGS

STOCK #	ID	DESCRIPTION
951001	1/4"	1/4" Barb x 1/4" MNPT - Steel with Zinc Coating
951010	1/4"	1/4" Brass Barb x 9/16" FLHT Swivel
951011	1/4"	1/4" Brass Barb x 1/4" MNPT
952000	3/8"	3/8" Barb x 3/8" MNPT - Steel with Zinc Coating
952010	3/8"	3/8" Brass Barb x 3/8" MNPT
953001	1/2"	1/2" Barb x 1/2" MNPT - Steel with Zinc Coating
953010	1/2"	1/2" Brass Barb x 1/2" MNPT
954000	3/4"	3/4" Barb x 1/2" MNPT - Steel with Zinc Coating
954003	3/4"	3/4" Barb x 3/4" MNPT - Steel with Zinc Coating
955001	1"	1" Barb x 1" MNPT - Steel with Zinc Coating
956001	1 1/4"	1 1/4" Barb x 1 1/4" MNPT - Steel with Zinc Coating
957000	1 1/2"	1 1/2" Barb x 1 1/2" MNPT - Steel with Zinc Coating
958001	2"	2" Barb x 2" MNPT - Steel with Zinc Coating
958002	3"	3" Barb x 3" MNPT - Steel with Zinc Coating

### HIGH PRESSURE LP GAS HOSE REELS

STOCK #	ID	OD	PSI	Weight (per FT)	PKG QTY
76208	1/4"	0.505"	350	.078 lbs	500'
76209	5/16"	0.56"	350	.099 lbs	500'
76210	3/8"	0.65"	350	.119 lbs	500'
76211	1/2"	0.79"	350	0.17 lbs	500'

Recognized by UL-569, UL-21, and CSA 1-8.3.

- 1/4", 5/16", 3/8" I.D. High Pressure Hose  
Applications: Outdoor Gas Grills, RV Hose, Turkey Fryers, Fish Cookers, Torches, Patio and Portable Heaters.
- 1/2" I.D. Heavy Duty High Pressure Hose  
Applications: Heater Connectors, RV Trunk Line Connections, Large Volume LPG Generators, Construction Heaters, Temporary Supply Connectors, On-Site Incinerators, Hot Tar Roofing Kettle Supply, and Delivery Hoses.
- 1lb custom order hoses available

Largest Domestic Manufacturer of L.P. Gas Hose.

L.P. Gas Hose for Outdoor Cooking, RV's and Heating Appliances. Available in Bulk, Finished Hose Assemblies, or Cut-Lengths.

### BARB x FLARE FITTINGS

STOCK #	ID	DESCRIPTION
951000	1/4"	1/4" Barb x 1/4" FSAE - Steel with Zinc Coating
951005	1/4"	1/4" Brass Barb x FSAE Swivel
952001	3/8"	3/8" Barb x 3/8" FSAE - Steel with Zinc Coating
952005	3/8"	3/8" Brass Barb x FSAE Swivel
953000	1/2"	1/2" Barb x 1/2" FSAE - Steel with Zinc Coating
953005	1/2"	1/2" Brass Barb x FSAE Swivel
955000	1"	1" Barb x 1" FSAE - Steel with Zinc Coating
956000	1 1/4"	1 1/4" Barb x 1 1/4" FSAE - Steel with Zinc Coating
958000	2"	2" Barb x 2" FSAE Swivel - Steel with Zinc Coating

### FERRULES

STOCK #	ID	DESCRIPTION
951006	1/4"	1/4" Brass HD Ferrule
952006	3/8"	3/8" Brass HD Ferrule
953006	1/2"	1/2" Brass HD Ferrule

## TRUZERO® LPG FITTINGS & ACCESSORIES



High Pressure Rubber Hose designed to meet UL21, CGA, Type1, EN, British-BS and ASTM standards. Constructed from High Grade Aerospace Rubber Compounds. Resists wear 50% more than other leading brands. Superior cold weather flexibility to -65°F. Excellent for LPG transportation, vapor lines, plant use, and most other applications.

### Construction:

- Tube: Extruded Nitrile (NBR)
- Cover: Specially Compounded Neoprene (CR)
- Working Temperature: -65°F to +180°F
- .25" - 1" smooth covered
- 1.25" + wrap covered
- Reinforcement: Textile
- Min. Burst: 1,750 PSI (5:1)



Part #	ID	UL-21 REEL/COIL LPG HOSE (All ONE PIECE per coil to minimize scrap)	TYPE
960010	3/8"	3/8" X 200 FT (smooth cover)	Coil
F960010			Box
FR960010			Reel
960020	1/2"	1/2" x 200 FT (smooth cover)	Coil
F960020			Box
960030	3/4"	3/4" X 200 FT (smooth cover)	Coil
960040	1"	1" X 200 FT (smooth cover)	Coil
960045	1"	1" X 150 FT (smooth cover)	Coil
960050	1 1/4"	1 1/4" X 100 FT (wrapped cover)	Coil
F960050			Box
960055	1 1/4"	1 1/4" X 200 FT (smooth cover)	Coil
960060	1 1/2"	1 1/2" X 100 FT (wrapped cover)	Coil
960070	2"	2" X 100 FT (wrapped cover)	Coil
960080	3"	3" X 100 FT (wrapped cover)	Coil

Part #	ID	UL-21 RUBBER HOSE ASSEMBLIES	TYPE
964050	3/4"	3/4" x 15' - 3/4" MNPT x 3/4" MNPT - Steel	Bulk
F964050			Box
964055	3/4"	3/4" x 18' - 3/4" MNPT x 3/4" MNPT - Steel	Bulk
F964055			Box
964000	3/4"	3/4" x 100' - 3/4" MNPT x 3/4" MNPT - Steel	Bulk
F964000			Box
964001	3/4"	3/4" x 125' - 3/4" MNPT x 3/4" MNPT - Steel	Bulk
F964001			Box
964002	3/4"	3/4" x 150' - 3/4" MNPT x 3/4" MNPT - Steel	Bulk
F964002			Box
965060	1"	1" x 19' - 1" MNPT x 1" MNPT - Steel (Transport)	Bulk
F965060			Box
965000	1"	1" x 100' - 1" MNPT x 1" MNPT - Steel	Bulk
F965000			Box
965001	1"	1" x 125' - 1" MNPT x 1" MNPT - Steel	Bulk
F965001			Box
965002	1"	1" x 150' - 1" MNPT x 1" MNPT - Steel	Bulk
F965002			Box
965003	1"	1" x 175' - 1" MNPT x 1" MNPT - Steel	Bulk
F965003			Box
965004	1"	1" x 200' - 1" MNPT x 1" MNPT - Steel	Bulk
966050	1 1/4"	1 1/4" x 10' - MNPT x MNPT - Steel	Bulk
F966050			Box
966055	1 1/4"	1 1/4" x 12' - MNPT x MNPT - Steel	Bulk
F966055			Box
966060	1 1/4"	1 1/4" x 15' - MNPT x MNPT - Steel	Bulk
F966060			Box
966065	1 1/4"	1 1/4" x 20' - MNPT x MNPT - Steel	Bulk
F966065			Box
966064	1 1/4"	1 1/4" x 19' - MNPT x MNPT - Steel (Transport)	Bulk
F966064			Box

Part #	ID	UL-21 RUBBER HOSE ASSEMBLIES	TYPE
966001	1 1/4"	1 1/4" x 125' - MNPT x MNPT - Smooth Cover	Bulk
966002	1 1/4"	1 1/4" x 150' - MNPT x MNPT - Smooth Cover	Bulk
967000	1 1/2"	1 1/2" x 10' - MNPT x MNPT - Steel	Bulk
F967000			Box
967001	1 1/2"	1 1/2" x 12' - MNPT x MNPT - Steel	Bulk
F967001			Box
967002	1 1/2"	1 1/2" x 15' - MNPT x MNPT - Steel	Bulk
F967002			Box
967003	1 1/2"	1 1/2" x 20' - MNPT x MNPT - Steel	Bulk
F967003			Box
968050	2"	2" x 10' - MNPT x MNPT - Steel	Bulk
F968050			Box
968055	2"	2" x 12' - MNPT x MNPT - Steel	Bulk
F968055			Box
968060	2"	2" x 15' - MNPT x MNPT - Steel (Plant)	Bulk
F968060			Box
968063	2"	2" x 18' - MNPT x MNPT - Steel	Bulk
F968063			Box
968065	2"	2" x 19' - MNPT x MNPT - Steel (Transport)	Bulk
F968065			Box
968070	2"	2" x 20' - MNPT x MNPT - Steel	Bulk
F968070			Box
968075	2"	2" x 25' - MNPT x MNPT - Steel	Bulk
F968075			Box
968080	2"	2" x 30' - MNPT x MNPT - Steel	Bulk
F968080			Box
968085	2"	2" x 50' - MNPT x MNPT - Steel	Bulk
F968085			Box

## WHAT'S INSIDE



### UNIT HEATERS

Pages 12-13



### TUBE HEATERS

Pages 6-8



### NOMAD™ BOX HEATERS

Page 14



### RESTAURANT/PATIO GLASS FRONT RADIANT HEATERS

Page 10

### FORCED AIR KEROSENE HEATERS

Page 21



### FORCED AIR PROPANE HEATERS

Page 21



## TECHNICAL & CUSTOMER SERVICE

1-866-447-2194

[WWW.HEATSTARBYENERCO.COM](http://WWW.HEATSTARBYENERCO.COM)

Enerco Group Inc. 4560 West 160th St. Cleveland, Ohio 44135